

**Agro meteorological Advisory Bulletin for the  
State of Rajasthan**

**For the period of September 20, 2018 to September 24, 2018**

Issued on  
**Thursday, September 20, 2018**

Issued by  
India Meteorological Department, Meteorological Centre, Jaipur  
In collaboration with  
State Agricultural Universities & State Department of Agriculture

### Met sub-divisions of the state

For meteorological purposes, the State has been divided into two sub-divisions (IMD classification):-

- **East Rajasthan Consisting of** Ajmer, Alwar, Banswara, Baran, Bharatpur, Bhilwara, Bundi, Chittorgarh, Dausa, Dholpur, Dungarpur, Jaipur, Jhalawar, Jhunjhunu, Karauli, Kota, Rajsamand, Sawaimadhapur, Sikar, Sirohi, Tonk, Pratapgarh & Udaipur districts.
- **West Rajasthan consisting of** Barmer, Bikaner, Churu, Hanumangarh, Jaisalmer, Jalore, Jodhpur, Nagaur, Pali & Sriganganagar districts.

### Agroclimatic zones of the state

Sl. No.	Agroclimatic Zone	Districts (Weather forecast to be communicated)	Agromet Field Unit (AMFU) Location (receiving stations)
1	Arid Western Plain	Barmer and part of Jodhpur	Jodhpur (CAZRI)
2	Irrigated North Western Plain	Sriganganagar, Hanumangarh	Sriganganagar
3	Hyper arid Partial irrigated zone	Bikaner, Jaisalmer, Parts of Churu	Bikaner
4	Internal Drainage Dry	Nagaur, Sikar, Jhunjhunu, Part of Churu	Fatehpur (Sikar)
5	Transitional Plain of Luni basin	Jalore, Pali, part of Sirohi, Jodhpur	Jodhpur (CAZRI)
6	Semi Arid Eastern Plains	Jaipur, Ajmer, Dausa, Tonk	Jaipur(DURGAPURA)
7	Flood Prone Eastern Plain	Alwar, Dholpur, Bharatpur, Karauli, Sawai Madhopur	Bharatpur (SEWAR)
8	Sub-Humid Southern Plains	Bhilwara, Sirohi, Udaipur, Chittorgarh	Udaipur (CTAE)
9	Humid Southern Plains	Dungarpur, Udaipur, Banswara, Chittorgarh, Pratapgarh	Banswara
10	Humid South Eastern Plain	Kota, Jhalawar, Bundi, Baran	Kota



## Part I: Weather

*Past Weather in different  
agro climatic zones  
for the period 18/09/18 to 19/09/18*

*Weather Forecast for different  
agro climatic zones  
valid until 0830hrs of 25/09/2018*

### **ZONE -- Arid Western Plain**

#### **DISTRICT - BARMER**

**Weather:**PARTLY CLOUDY SKY  
**Temperature (Maximum) in °C:** 37 To 39  
**Temperature(Minimum)in °C:** 25 To 26  
**Clouds(in Okta):** 0 TO 5  
**Humidity (in %) :**20 To 72  
**Wind Speed (in KMPH) :** 5 To 12  
**Rainfall Distribution:**NIL

**Weather:**RAIN  
**Temperature (Maximum) in °C:** 32 To 37  
**Temperature(Minimum)in °C:** 20 To 24  
**Clouds(in Okta):** 1 TO 8  
**Humidity (in %) :**29 To 100  
**Wind Speed (in KMPH) :**8 To 12  
**Rainfall Distribution:**SCT  
**Warning:** HEAVY RAINFALL OCCUR AT ISOLATED PLACES

#### **DISTRICT - PARTS OF JODHPUR ( MOST OF THE WESTERN PARTS OF JODHPUR)**

**Weather:**PARTLY CLOUDY SKY  
**Temperature (Maximum) in °C:** 35 To 37  
**Temperature(Minimum)in °C:** 25To 26  
**Clouds(in Okta):** 0 TO 4  
**Humidity (in %) :**18 To 72  
**Wind Speed (in KMPH) :** 5 To 10  
**Rainfall Distribution:**NIL

**Weather:**RAIN  
**Temperature (Maximum) in °C:** 32 To 37  
**Temperature(Minimum)in °C:** 19To 24  
**Clouds(in Okta):** 1 TO 8  
**Humidity (in %) :**29 To 100  
**Wind Speed (in KMPH) :**5 To 10  
**Rainfall Distribution:**FWS  
**Warning:** HEAVY RAINFALL OCCUR AT ISOLATED PLACES

### **ZONE -- Irrigated North Western Plain**

#### **DISTRICT - SRIGANGANAGAR**

**Weather:** MAINLY CLEAR SKY  
**Temperature (Maximum) in °C:** 38 To 39  
**Temperature(Minimum)in °C:** 25 To 27  
**Clouds(in Okta):** 0 TO 2  
**Humidity (in %) :**18 To 77  
**Wind Speed (in KMPH) :** 4 To 10  
**Rainfall Distribution:**NIL

**Weather:**RAIN  
**Temperature (Maximum) in °C:** 32 To 40  
**Temperature(Minimum)in °C:** 20 To 24  
**Clouds(in Okta):** 5 TO 8  
**Humidity (in %) :**26 To 100  
**Wind Speed (in KMPH) :**8 To 12  
**Rainfall Distribution:**FWS  
**Warning:** NIL

#### **DISTRICT - HANUMANGARH**

**Weather:** MAINLY CLEAR SKY  
**Temperature (Maximum) in °C:** 38 To 39  
**Temperature(Minimum)in °C:** 25 To 27  
**Clouds(in Okta):** 0 TO 2  
**Humidity (in %) :**18 To 77  
**Wind Speed (in KMPH) :** 4 To 10  
**Rainfall Distribution:**NIL

**Weather:**RAIN  
**Temperature (Maximum) in °C:** 32 To 40  
**Temperature(Minimum)in °C:** 20 To 24  
**Clouds(in Okta):** 5 TO 8  
**Humidity (in %) :**26 To 100  
**Wind Speed (in KMPH) :**8 To 12  
**Rainfall Distribution:**FWS  
**Warning:** HEAVY RAINFALL OCCUR AT ISOLATED PLACES

### **ZONE -- Hyper arid Partial irrigated zone**

#### **DISTRICT - BIKANER**

**Weather:** MAINLY CLEAR SKY  
**Temperature (Maximum) in °C:** 37 To 39  
**Temperature(Minimum)in °C:** 25 To 26  
**Clouds(in Okta):** 0 TO 2  
**Humidity (in %) :**19 To 70

**Weather:**RAIN  
**Temperature (Maximum) in °C:** 33 To 38  
**Temperature(Minimum)in °C:** 20 To 24  
**Clouds(in Okta):** 3 TO 8  
**Humidity (in %) :**236 To 100

<p><i>Wind Speed (in KMPH) : 5 To 12</i></p> <p><i>Rainfall Distribution:NIL</i></p>	<p><i>Wind Speed (in KMPH) :7 To 11</i></p> <p><i>Rainfall Distribution:FWS</i></p> <p><i>Warning: HEAVY RAINFALL OCCUR AT ISOLATED PLACES</i></p>
<b>DISTRICT - JAISALMER</b>	
<p><i>Weather: MAINLY CLEAR SKY</i></p> <p><i>Temperature (Maximum) in °C: 37 To 39</i></p> <p><i>Temperature(Minimum)in °C: 24 To 25</i></p> <p><i>Clouds(in Okta): 0 TO 2</i></p> <p><i>Humidity (in %) :21 To 77</i></p> <p><i>Wind Speed (in KMPH) : 4 To 12</i></p> <p><i>Rainfall Distribution:NIL</i></p>	<p><i>Weather: RAIN</i></p> <p><i>Temperature (Maximum) in °C: 34 To 38</i></p> <p><i>Temperature(Minimum)in °C: 21 To 23</i></p> <p><i>Clouds(in Okta): 1 TO 8</i></p> <p><i>Humidity (in %) :25 To 100</i></p> <p><i>Wind Speed (in KMPH) :7 To 12</i></p> <p><i>Rainfall Distribution:SCT</i></p> <p><i>Warning: NIL</i></p>
<b>DISTRICT - CHURU</b>	
<p><i>Weather: RAIN</i></p> <p><i>Temperature (Maximum) in °C: 36 To 39</i></p> <p><i>Temperature(Minimum)in °C: 21 To 23</i></p> <p><i>Clouds(in Okta): 0 TO 6</i></p> <p><i>Humidity (in %) :28 To 82</i></p> <p><i>Wind Speed (in KMPH) : 4 To 10</i></p> <p><i>Rainfall Distribution:ISOL</i></p>	<p><i>Weather:RAIN</i></p> <p><i>Temperature (Maximum) in °C: 31 To 39</i></p> <p><i>Temperature(Minimum)in °C: 17 To 20</i></p> <p><i>Clouds(in Okta): 1 TO 8</i></p> <p><i>Humidity (in %) :26 To 100</i></p> <p><i>Wind Speed (in KMPH) :8 To 12</i></p> <p><i>Rainfall Distribution:FWS</i></p> <p><i>Warning: HEAVY RAINFALL OCCUR AT ISOLATED PLACES</i></p>
<b>ZONE -- Internal Drainage Dry</b>	
<b>DISTRICT - NAGAU</b>	
<p><i>Weather: PARTLY CLOUDY SKY</i></p> <p><i>Temperature (Maximum) in °C: 36 To 39</i></p> <p><i>Temperature(Minimum)in °C: 21 To 23</i></p> <p><i>Clouds(in Okta): 0 TO 4</i></p> <p><i>Humidity (in %) :28 To 82</i></p> <p><i>Wind Speed (in KMPH) : 4 To 10</i></p> <p><i>Rainfall Distribution:NIL</i></p>	<p><i>Weather:RAIN</i></p> <p><i>Temperature (Maximum) in °C: 31 To 39</i></p> <p><i>Temperature(Minimum)in °C: 17 To 20</i></p> <p><i>Clouds(in Okta): 1 TO 8</i></p> <p><i>Humidity (in %) :26 To 100</i></p> <p><i>Wind Speed (in KMPH) :8 To 12</i></p> <p><i>Rainfall Distribution:FWS</i></p> <p><i>Warning: HEAVY RAINFALL OCCUR AT ISOLATED PLACES</i></p>
<b>DISTRICT - SIKAR</b>	
<p><i>Weather: RAIN</i></p> <p><i>Temperature (Maximum) in °C: 36 To 37</i></p> <p><i>Temperature(Minimum)in °C: 21 To 22</i></p> <p><i>Clouds(in Okta): 0 TO 5</i></p> <p><i>Humidity (in %) :32 To 89</i></p> <p><i>Wind Speed (in KMPH) : 2 To 05</i></p> <p><i>Rainfall Distribution:ISOL</i></p>	<p><i>Weather:RAIN</i></p> <p><i>Temperature (Maximum) in °C: 30 To 36</i></p> <p><i>Temperature(Minimum)in °C: 17 To 20</i></p> <p><i>Clouds(in Okta): 2 TO 8</i></p> <p><i>Humidity (in %) :32 To 100</i></p> <p><i>Wind Speed (in KMPH) :3 To 06</i></p> <p><i>Rainfall Distribution:FWS</i></p> <p><i>Warning: HEAVY RAINFALL OCCUR AT ISOLATED PLACES</i></p>
<b>DISTRICT - JHUNJHUNU</b>	
<p><i>Weather: RAIN</i></p> <p><i>Temperature (Maximum) in °C: 36 To 37</i></p> <p><i>Temperature(Minimum)in °C: 22 To 23</i></p> <p><i>Clouds(in Okta): 0 TO 5</i></p> <p><i>Humidity (in %) :32 To 89</i></p> <p><i>Wind Speed (in KMPH) : 2 To 05</i></p> <p><i>Rainfall Distribution:ISOL</i></p>	<p><i>Weather:RAIN</i></p> <p><i>Temperature (Maximum) in °C: 30 To 36</i></p> <p><i>Temperature(Minimum)in °C: 17 To 20</i></p> <p><i>Clouds(in Okta): 2 TO 8</i></p> <p><i>Humidity (in %) :32 To 100</i></p> <p><i>Wind Speed (in KMPH) :3 To 06</i></p> <p><i>Rainfall Distribution:FWS</i></p> <p><i>Warning: HEAVY RAINFALL OCCUR AT ISOLATED PLACES</i></p>

**DISTRICT - PARTS OF CHURU ( SOUTERN PARTS )**

**Weather: RAIN**  
**Temperature (Maximum) in °C: 36 To 39**  
**Temperature(Minimum)in °C: 21 To 23**  
**Clouds(in Okta): 0 TO 6**  
**Humidity (in %) :28 To 82**  
**Wind Speed (in KMPH) : 4 To 10**  
**Rainfall Distribution:ISOL**

**Weather:RAIN**  
**Temperature (Maximum) in °C: 31 To 39**  
**Temperature(Minimum)in °C: 17 To 20**  
**Clouds(in Okta): 1 TO 8**  
**Humidity (in %) :26 To 100**  
**Wind Speed (in KMPH) :8 To 12**  
**Rainfall Distribution:FWS**  
**Warning: HEAVY RAINFALL OCCUR AT ISOLATED PLACES**

**ZONE -- Transitional Plain of Luni basin****DISTRICT - JALORE**

**Weather:RAIN**  
**Temperature (Maximum) in °C: 35 To 37**  
**Temperature(Minimum)in °C: 25 To 26**  
**Clouds(in Okta): 0 TO 6**  
**Humidity (in %) :18 To 72**  
**Wind Speed (in KMPH) : 5 To 10**  
**Rainfall Distribution:ISOL**

**Weather:RAIN**  
**Temperature (Maximum) in °C: 32 To 37**  
**Temperature(Minimum)in °C: 19To 24**  
**Clouds(in Okta): 1 TO 8**  
**Humidity (in %) :29 To 100**  
**Wind Speed (in KMPH) :5 To 10**  
**Rainfall Distribution:FWS**  
**Warning: NIL**

**DISTRICT - PALI**

**Weather:PARTLY CLOUDY SKY**  
**Temperature (Maximum) in °C: 35 To 37**  
**Temperature(Minimum)in °C: 25 To 26**  
**Clouds(in Okta): 0 TO 4**  
**Humidity (in %) :18 To 72**  
**Wind Speed (in KMPH) : 5 To 10**  
**Rainfall Distribution:NIL**

**Weather:RAIN**  
**Temperature (Maximum) in °C: 32 To 37**  
**Temperature(Minimum)in °C: 19To 24**  
**Clouds(in Okta): 1 TO 8**  
**Humidity (in %) :29 To 100**  
**Wind Speed (in KMPH) :5 To 10**  
**Rainfall Distribution:FWS**  
**Warning: HEAVY RAINFALL OCCUR AT ISOLATED PLACES**

**DISTRICT - PARTS OF JODHPUR ( ADJOING PALI )**

**Weather:PARTLY CLOUDY SKY**  
**Temperature (Maximum) in °C: 35 To 37**  
**Temperature(Minimum)in °C: 25 To 26**  
**Clouds(in Okta): 0 TO 4**  
**Humidity (in %) :18 To 72**  
**Wind Speed (in KMPH) : 5 To 10**  
**Rainfall Distribution:NIL**

**Weather:RAIN**  
**Temperature (Maximum) in °C: 32 To 37**  
**Temperature(Minimum)in °C: 19To 24**  
**Clouds(in Okta): 1 TO 8**  
**Humidity (in %) :29 To 100**  
**Wind Speed (in KMPH) :5 To 10**  
**Rainfall Distribution:FWS**  
**Warning: HEAVY RAINFALL OCCUR AT ISOLATED PLACES**

**DISTRICT - SIROHI**

**Weather: PARTLY CLOUDY SKY**  
**Temperature (Maximum) in °C: 31 To 33**  
**Temperature(Minimum)in °C: 21 To 23**  
**Clouds(in Okta): 0 TO 5**  
**Humidity (in %) :32 To 90**  
**Wind Speed (in KMPH) : 3 To 8**  
**Rainfall Distribution:NIL**

**Weather:RAIN**  
**Temperature (Maximum) in °C: 27 To 32**  
**Temperature(Minimum)in °C: 17 To 20**  
**Clouds(in Okta): 5 TO 8**  
**Humidity (in %) :42 To 100**  
**Wind Speed (in KMPH) :7 To 10**  
**Rainfall Distribution:FWS**  
**Warning: HEAVY RAINFALL OCCUR AT A FEW PLACES**

**ZONE -- Semi Arid Eastern Plains****DISTRICT - JAIPUR**

**Weather: PARTLY CLOUDY SKY**

**Weather:RAIN**

<p>Temperature (Maximum) in °C: 34 To 37  Temperature (Minimum) in °C: 25 To 27  Clouds (in Okta): 0 TO 5  Humidity (in %) :24 To 87  Wind Speed (in KMPH) : 3 To 09  Rainfall Distribution: NIL</p>	<p>Temperature (Maximum) in °C: 31 To 34  Temperature (Minimum) in °C: 20 To 24  Clouds (in Okta): 5 TO 8  Humidity (in %) :26 To 100  Wind Speed (in KMPH) :5 To 10  Rainfall Distribution: FWS  Warning: HEAVY RAINFALL OCCUR AT A FEW PLACES</p>
--	---

**DISTRICT - AJMER**

<p>Weather: PARTLY CLOUDY SKY  Temperature (Maximum) in °C: 33 To 35  Temperature (Minimum) in °C: 22 To 24  Clouds (in Okta): 0 TO 5  Humidity (in %) :23 To 89  Wind Speed (in KMPH) : 3 To 8  Rainfall Distribution: NIL</p>	<p>Weather: RAIN  Temperature (Maximum) in °C: 30 To 35  Temperature (Minimum) in °C: 19 To 23  Clouds (in Okta): 5 TO 8  Humidity (in %) :32 To 100    Wind Speed (in KMPH) :7 To 10  Rainfall Distribution: FWS  Warning: HEAVY RAINFALL OCCUR AT A FEW PLACES</p>
---	--

**DISTRICT - DAUSA**

<p>Weather: PARTLY CLOUDY SKY  Temperature (Maximum) in °C: 34 To 37  Temperature (Minimum) in °C: 25 To 27  Clouds (in Okta): 0 TO 5  Humidity (in %) :24 To 87  Wind Speed (in KMPH) : 3 To 09  Rainfall Distribution: NIL</p>	<p>Weather: RAIN  Temperature (Maximum) in °C: 31 To 34  Temperature (Minimum) in °C: 20 To 24  Clouds (in Okta): 5 TO 8  Humidity (in %) :26 To 100  Wind Speed (in KMPH) :5 To 10  Rainfall Distribution: FWS  Warning: HEAVY RAINFALL OCCUR AT A FEW PLACES</p>
--	--

**DISTRICT - TONK**

<p>Weather: PARTLY CLOUDY SKY  Temperature (Maximum) in °C: 33 To 35  Temperature (Minimum) in °C: 22 To 24  Clouds (in Okta): 0 TO 5  Humidity (in %) :23 To 89  Wind Speed (in KMPH) : 3 To 8  Rainfall Distribution: NIL</p>	<p>Weather: RAIN  Temperature (Maximum) in °C: 30 To 35  Temperature (Minimum) in °C: 19 To 23  Clouds (in Okta): 5 TO 8  Humidity (in %) :32 To 100    Wind Speed (in KMPH) :7 To 10  Rainfall Distribution: FWS  Warning: HEAVY RAINFALL OCCUR AT A FEW PLACES</p>
---	--

**ZONE -- Flood Prone Eastern Plain**

**DISTRICT - ALWAR**

<p>Weather: RAIN  Temperature (Maximum) in °C: 33 To 35  Temperature (Minimum) in °C: 22 To 23  Clouds (in Okta): 0 TO 6  Humidity (in %) :31 To 97  Wind Speed (in KMPH) : 2 To 5  Rainfall Distribution: ISOL</p>	<p>Weather: RAIN  Temperature (Maximum) in °C: 28 To 35  Temperature (Minimum) in °C: 17 To 21  Clouds (in Okta): 5 TO 8  Humidity (in %) :34 To 100    Wind Speed (in KMPH) :5 To 09  Rainfall Distribution: FWS  Warning: HEAVY RAINFALL OCCUR AT A FEW PLACES</p>
---	--

**DISTRICT - DHOLPUR**

<p>Weather: PARTLY CLOUDY SKY  Temperature (Maximum) in °C: 33 To 35  Temperature (Minimum) in °C: 22 To 23  Clouds (in Okta): 0 TO 4</p>	<p>Weather: RAIN  Temperature (Maximum) in °C: 28 To 35  Temperature (Minimum) in °C: 17 To 21  Clouds (in Okta): 5 TO 8</p>
---	--

Humidity (in %) :31 To 97  
Wind Speed (in KMPH) : 2 To 5  
Rainfall Distribution:NIL

Humidity (in %) :34 To 100

Wind Speed (in KMPH) :5 To 09  
Rainfall Distribution:FWS  
Warning: HEAVY RAINFALL OCCUR AT A FEW PLACES

**DISTRICT - BHARATPUR**

Weather: PARTLY CLOUDY SKY  
Temperature (Maximum) in °C: 33 To 35  
Temperature(Minimum)in °C: 22 To 23  
Clouds(in Okta): 0 TO 4  
Humidity (in %) :31 To 97  
Wind Speed (in KMPH) : 2 To 5  
Rainfall Distribution:NIL

Weather:RAIN  
Temperature (Maximum) in °C: 28 To 35  
Temperature(Minimum)in °C: 17 To 21  
Clouds(in Okta): 5 TO 8  
Humidity (in %) :34 To 100  
Wind Speed (in KMPH) :5 To 09  
Rainfall Distribution:FWS  
Warning: HEAVY RAINFALL OCCUR AT A FEW PLACES

**DISTRICT - KARALI**

Weather:PARTLY CLOUDY SKY  
Temperature (Maximum) in °C: 32 To 34  
Temperature(Minimum)in °C: 22 To 24  
Clouds(in Okta): 0 TO 5  
Humidity (in %) :24 To 85  
Wind Speed (in KMPH) : 3 To 8  
Rainfall Distribution:NIL

Weather:RAIN  
Temperature (Maximum) in °C: 28 To 34  
Temperature(Minimum)in °C: 17 To 22  
Clouds(in Okta): 5 TO 8  
Humidity (in %) :45 To 100  
Wind Speed (in KMPH) :6 To 12  
Rainfall Distribution:FWS  
Warning: HEAVY RAINFALL OCCUR AT A FEW PLACES

**DISTRICT - SAWAI MADHOPUR**

Weather:PARTLY CLOUDY SKY  
Temperature (Maximum) in °C: 32 To 34  
Temperature(Minimum)in °C: 22 To 24  
Clouds(in Okta): 0 TO 5  
Humidity (in %) :24 To 85  
Wind Speed (in KMPH) : 3 To 8  
Rainfall Distribution:NIL

Weather:RAIN  
Temperature (Maximum) in °C: 28 To 34  
Temperature(Minimum)in °C: 17 To 22  
Clouds(in Okta): 5 TO 8  
Humidity (in %) :45 To 100  
Wind Speed (in KMPH) :6 To 12  
Rainfall Distribution:FWS  
Warning: HEAVY RAINFALL OCCUR AT A FEW PLACES

**ZONE -- Sub-Humid Southern Plains**

**DISTRICT - BHILWARA**

Weather: MAINLY CLEAR SKY  
Temperature (Maximum) in °C: 33 To 34  
Temperature(Minimum)in °C: 19 To 22  
Clouds(in Okta): 0 TO 2  
Humidity (in %) :39 To 95  
Wind Speed (in KMPH) : 3 To 5  
Rainfall Distribution:NIL

Weather:RAIN  
Temperature (Maximum) in °C: 30 To 35  
Temperature(Minimum)in °C: 19 To 23  
Clouds(in Okta): 5 TO 8  
Humidity (in %) :32 To 100  
Wind Speed (in KMPH) :7 To 10  
Rainfall Distribution:FWS  
Warning: HEAVY RAINFALL OCCUR AT A FEW PLACES

**DISTRICT - RAJSAMAND**

Weather: PARTLY CLOUDY SKY  
Temperature (Maximum) in °C: 31 To 33  
Temperature(Minimum)in °C: 21 To 23  
Clouds(in Okta): 0 TO 5  
Humidity (in %) :32 To 90  
Wind Speed (in KMPH) : 3 To 8

Weather:RAIN  
Temperature (Maximum) in °C: 27 To 32  
Temperature(Minimum)in °C: 17 To 20  
Clouds(in Okta): 5 TO 8  
Humidity (in %) :42 To 100  
Wind Speed (in KMPH) :7 To 10

<p><i>Rainfall Distribution:NIL</i></p>	<p><i>Rainfall Distribution:FWS</i> <i>Warning: HEAVY RAINFALL OCCUR AT A FEW PLACES</i></p>
<b>DISTRICT - UDAIPUR</b>	
<p><i>Weather: RAIN</i> <i>Temperature (Maximum) in °C: 31 To 33</i> <i>Temperature(Minimum)in °C: 21 To 23</i> <i>Clouds(in Okta): 0 TO 5</i> <i>Humidity (in %) :32 To 92</i> <i>Wind Speed (in KMPH) : 3 To 8</i> <i>Rainfall Distribution:ISOL</i></p>	<p><i>Weather:RAIN</i> <i>Temperature (Maximum) in °C: 27 To 32</i> <i>Temperature(Minimum)in °C: 17 To 20</i> <i>Clouds(in Okta): 5 TO 8</i> <i>Humidity (in %) :42 To 100</i>  <i>Wind Speed (in KMPH) :7 To 10</i> <i>Rainfall Distribution:FWS</i> <i>Warning: HEAVY RAINFALL OCCUR AT A FEW PLACES</i></p>
<b>DISTRICT - CHITTORGARH</b>	
<p><i>Weather: PARTLY CLOUDY SKY</i> <i>Temperature (Maximum) in °C: 31 To 33</i> <i>Temperature(Minimum)in °C: 21 To 23</i> <i>Clouds(in Okta): 0 TO 5</i> <i>Humidity (in %) :32 To 90</i> <i>Wind Speed (in KMPH) : 3 To 8</i> <i>Rainfall Distribution:NIL</i></p>	<p><i>Weather:RAIN</i> <i>Temperature (Maximum) in °C: 27 To 32</i> <i>Temperature(Minimum)in °C: 17 To 20</i> <i>Clouds(in Okta): 5 TO 8</i> <i>Humidity (in %) :42 To 100</i>  <i>Wind Speed (in KMPH) :7 To 10</i> <i>Rainfall Distribution:FWS</i> <i>Warning: HEAVY RAINFALL OCCUR AT A FEW PLACES</i></p>
<b>ZONE -- Humid Southern Plains</b>	
<b>DISTRICT - DUNGARPUR</b>	
<p><i>Weather: PARTLY CLOUDY SKY</i> <i>Temperature (Maximum) in °C: 31 To 33</i> <i>Temperature(Minimum)in °C: 21 To 23</i> <i>Clouds(in Okta): 0 TO 5</i> <i>Humidity (in %) :32 To 90</i> <i>Wind Speed (in KMPH) : 3 To 8</i> <i>Rainfall Distribution:NIL</i></p>	<p><i>Weather:RAIN</i> <i>Temperature (Maximum) in °C: 27 To 32</i> <i>Temperature(Minimum)in °C: 17 To 20</i> <i>Clouds(in Okta): 5 TO 8</i> <i>Humidity (in %) :42 To 100</i>  <i>Wind Speed (in KMPH) :7 To 10</i> <i>Rainfall Distribution:FWS</i> <i>Warning: HEAVY RAINFALL OCCUR AT A FEW PLACES</i></p>
<b>DISTRICT - BANSWARA</b>	
<p><i>Weather: PARTLY CLOUDY SKY</i> <i>Temperature (Maximum) in °C: 31 To 33</i> <i>Temperature(Minimum)in °C: 21 To 23</i> <i>Clouds(in Okta): 0 TO 5</i> <i>Humidity (in %) :32 To 90</i> <i>Wind Speed (in KMPH) : 3 To 8</i> <i>Rainfall Distribution:NIL</i></p>	<p><i>Weather:RAIN</i> <i>Temperature (Maximum) in °C: 27 To 32</i> <i>Temperature(Minimum)in °C: 17 To 20</i> <i>Clouds(in Okta): 5 TO 8</i> <i>Humidity (in %) :42 To 100</i>  <i>Wind Speed (in KMPH) :7 To 10</i> <i>Rainfall Distribution:FWS</i> <i>Warning: HEAVY RAINFALL OCCUR AT A FEW PLACES</i></p>
<b>DISTRICT - SOUTHERN PARTS OF UDAIPUR</b>	
<p><i>Weather: RAIN</i> <i>Temperature (Maximum) in °C: 31 To 33</i> <i>Temperature(Minimum)in °C: 21 To 23</i> <i>Clouds(in Okta): 0 TO 5</i> <i>Humidity (in %) :32 To 92</i> <i>Wind Speed (in KMPH) : 3 To 8</i> <i>Rainfall Distribution:ISOL</i></p>	<p><i>Weather:RAIN</i> <i>Temperature (Maximum) in °C: 27 To 32</i> <i>Temperature(Minimum)in °C: 17 To 20</i> <i>Clouds(in Okta): 5 TO 8</i> <i>Humidity (in %) :42 To 100</i>  <i>Wind Speed (in KMPH) :7 To 10</i> <i>Rainfall Distribution:FWS</i> <i>Warning: HEAVY RAINFALL OCCUR AT A FEW PLACES</i></p>



**DISTRICT - PRATAPGARH**

**Weather: RAIN**  
**Temperature (Maximum) in °C: 31 To 33**  
**Temperature(Minimum)in °C: 21 To 23**  
**Clouds(in Okta): 0 TO 5**  
**Humidity (in %) :32 To 92**  
**Wind Speed (in KMPH) : 3 To 8**  
**Rainfall Distribution:ISOL**

**Weather:RAIN**  
**Temperature (Maximum) in °C: 27 To 32**  
**Temperature(Minimum)in °C: 17 To 20**  
**Clouds(in Okta): 5 TO 8**  
**Humidity (in %) :42 To 100**  
**Wind Speed (in KMPH) :7 To 10**  
**Rainfall Distribution:FWS**  
**Warning: HEAVY TO VERY HEAVYRAINFALL OCCUR AT A FEW PLACES**

**ZONE -- Humid South Eastern Plain****DISTRICT - KOTA**

**Weather:PARTLY CLOUDY SKY**  
**Temperature (Maximum) in °C: 32 To 34**  
**Temperature(Minimum)in °C: 22 To 24**  
**Clouds(in Okta): 0 TO 5**  
**Humidity (in %) :24 To 85**  
**Wind Speed (in KMPH) : 3 To 8**  
**Rainfall Distribution:NIL**

**Weather:RAIN**  
**Temperature (Maximum) in °C: 28 To 34**  
**Temperature(Minimum)in °C: 17 To 22**  
**Clouds(in Okta): 5 TO 8**  
**Humidity (in %) :45 To 100**  
**Wind Speed (in KMPH) :6 To 12**  
**Rainfall Distribution:FWS**  
**Warning: HEAVY TO VERY HEAVYRAINFALL OCCUR AT A FEW PLACES**

**DISTRICT - JHALAWAR**

**Weather:PARTLY CLOUDY SKY**  
**Temperature (Maximum) in °C: 32 To 34**  
**Temperature(Minimum)in °C: 22 To 24**  
**Clouds(in Okta): 0 TO 5**  
**Humidity (in %) :24 To 85**  
**Wind Speed (in KMPH) : 3 To 8**  
**Rainfall Distribution:NIL**

**Weather:RAIN**  
**Temperature (Maximum) in °C: 28 To 34**  
**Temperature(Minimum)in °C: 17 To 22**  
**Clouds(in Okta): 5 TO 8**  
**Humidity (in %) :45 To 100**  
**Wind Speed (in KMPH) :6 To 12**  
**Rainfall Distribution:FWS**  
**Warning: HEAVY RAINFALL OCCUR AT A FEW PLACES**

**DISTRICT - BUNDI**

**Weather:PARTLY CLOUDY SKY**  
**Temperature (Maximum) in °C: 32 To 34**  
**Temperature(Minimum)in °C: 22 To 24**  
**Clouds(in Okta): 0 TO 5**  
**Humidity (in %) :24 To 85**  
**Wind Speed (in KMPH) : 3 To 8**  
**Rainfall Distribution:NIL**

**Weather:RAIN**  
**Temperature (Maximum) in °C: 28 To 34**  
**Temperature(Minimum)in °C: 17 To 22**  
**Clouds(in Okta): 5 TO 8**  
**Humidity (in %) :45 To 100**  
**Wind Speed (in KMPH) :6 To 12**  
**Rainfall Distribution:FWS**  
**Warning: NIL**

**DISTRICT - BARAN**

**Weather:PARTLY CLOUDY SKY**  
**Temperature (Maximum) in °C: 32 To 34**  
**Temperature(Minimum)in °C: 22 To 24**  
**Clouds(in Okta): 0 TO 5**  
**Humidity (in %) :24 To 85**  
**Wind Speed (in KMPH) : 3 To 8**  
**Rainfall Distribution:NIL**

**Weather:RAIN**  
**Temperature (Maximum) in °C: 28 To 34**  
**Temperature(Minimum)in °C: 17 To 22**  
**Clouds(in Okta): 5 TO 8**  
**Humidity (in %) :45 To 100**  
**Wind Speed (in KMPH) :6 To 12**  
**Rainfall Distribution:FWS**  
**Warning: HEAVY RAINFALL OCCUR AT A FEW PLACES**

**LEGEND:-**

RA: RAIN IN

MM: MILLI METER

DS: DUST STORM

TS: THUNDERSTORM

WIND SPEED: 1 KNOT = 1.92 KM / HOUR

*ISOL: AT ISOLATED PLACES ( $\leq 25$  % AREA) REPORTING AT LEAST 2.5 MM RAINFALL*

*SCT: SCATTERED (26% TO 50 % AREA) REPORTING AT LEAST 2.5 MM RAINFALL*

*FAIRLY WIDE SPREAD: (51% TO 74 % AREA) REPORTING AT LEAST 2.5 MM RAINFALL*

*WIDE SPREAD: (75% TO 100 % AREA) REPORTING AT LEAST 2.5 MM RAINFALL*

***Heavy Rainfall: 6.5 cm to 12.4 cm***

***Very Heavy Rainfall: 12.5 cm to 24.4 cm***

***Extremely Heavy Rainfall: 24.5 cm or more***

## ***Part II:***

***Agro climatic zone wise Agricultural/Agro meteorologicals Advise***

# ***Arid Western Plain***

## ***( BARMER, PART OF JODHPUR )***



<b><i>BARMER</i></b>	फसल	अवस्था	सलाह
	शीतकालीन बैंगन	नर्सरी	बैंगन की सर्दी की फसल के लिए नर्सरी तैयार करें। आजाद बी-1, बी.आर-112, पूसा भैरव, पूसा अनुपम, पूसा हाइब्रिड-5, पंजाब बहार उन्नत किस्मों की बुवाई करें। बुवाई से पूर्व 2 ग्राम केप्टान से प्रति किलो बीज की दर से उपचारित करें।
	अरण्डी		अरण्डी की फसल में तना छेदक कीट के नियंत्रण के लिए क्यूनालफॉस 25 ई.सी. 1 लीटर का प्रति हैक्टेयर की दर से छिड़काव करें।
	पशु		वर्षा की सम्भावना को ध्यान में रखते हुए पशुओं को सीधी बारिश से बचाएं तथा पशुओं को पेड़ के नीचे ना बांधें।
<b><i>PARTS OF JODHPUR</i></b>	फसल	अवस्था	सलाह
			<p>शनिवार से सोमवार तक वर्षा होने की सम्भावना को देखते हुए। पकी हुई फसलों की जल्द से जल्द कटाई करें और उन्हें सुरक्षित स्थान पर रखें।</p> <p>वर्षा अधिक होने की स्थिति में सब्जि वाली फसलों में उचित जल निकास की व्यवस्था करें।</p> <p>फसलों पर किसी भी प्रकार के कीटनाशी व फफूंदनाशी का छिड़काव नहीं करें।</p>
	शीतकालीन	नर्सरी	बैंगन की सर्दी की फसल के लिए नर्सरी तैयार करें। आजाद बी-1, बी.आर-112, पूसा भैरव, पूसा अनुपम,

	बैंगन		पूसा हाइब्रिड-5, पंजाब बहार उन्नत किस्मों की बुवाई करें। बुवाई से पूर्व 2 ग्राम केप्टान से प्रति किलो बीज की दर से उपचारित करें।
	अरण्डी		अरण्डी की फसल में तना छेदक कीट के नियंत्रण के लिए क्यूनालफॉस 25 ई.सी. 1 लीटर का प्रति हैक्टेयर की दर से छिड़काव करें।
	पशु		वर्षा की सम्भावना को ध्यान में रखते हुए पशुओं को सीधी बारिश से बचाएं तथा पशुओं को पेड़ के नीचे ना बांधें।

## ***Irrigated North Western Plain*** (***SRIGANGANAGAR, HANUMANGARH***)



<b>SRIGANGANAGAR</b>	<p style="text-align: center;"><b>ADVISORY NOT RECEIVED FROM AMFU</b></p> <p>अधिक जानकारी के लिए केन्द्र की किसान हेल्पलाईन मोबाईल नं० 9828840302 पर सम्पर्क करें</p>
<b>HANUMANGARH</b>	<p style="text-align: center;"><b>ADVISORY NOT RECEIVED FROM AMFU</b></p> <p>— अधिक जानकारी के लिए केन्द्र की किसान हेल्पलाईन मोबाईल नं० 9828840302 पर सम्पर्क करें</p>

# Hyper arid Partial irrigated zone

(Bikaner, Jaisalmer, Parts of Churu)



## Bikaner

आने वाले दिनों में रात के तापमान के कमी होने, अधिक आपेक्षिक आर्द्रता के साथ वायु की औसत गति मध्यम रहने आसमान में आंशिक बादल छाये रहने और हल्की वर्षा होने की संभावना है।

मौसम विज्ञान विभाग से प्राप्त सूचना के अनुसार आने वाले 5 दिनों में राज्य में भारी बारिश होने की संभावना है। अतः निम्न सावधानी रखे।

- संभव हो तो कटाई के लिए तैयार अगेती मूंग, मोठ आदि फसलों की कटाई करके उपज को सुरक्षित स्थान पर रखें या उनको बरसात से बचाने की व्यवस्था करें ताकि उनकी गुणवत्ता बनाये रखी जा सके।
- यदि बारिश ज्यादा होती है अतः फसल क्षेत्र से उचित जल निकास की व्यवस्था भी करें।
- किसी भी प्रकार के कृषि रसायन (पीडकनाशी या पोषक तत्व) का छिड़काव नहीं करें। ऐसे छिड़काव के लिए मौसम खुलने का इंतजार करें।
- मूँगफली में कुछ समय के लिए सिंचाई स्थगित रखें ताकि भविष्य के लिए पानी की बचत हो सके।
- खेत के चारों, सिंचाई नालियों के साथ और मेड़ों पर उपस्थित खरपतवारों को भी हटाएँ। ये खरपतवार खेत की मिट्टी से पौषक तत्व एवं पानी सोखने के साथ साथ फसलों पर लगाने वाले कीट एवं रोगों के वाहक का कार्य भी करते हैं।
- दलहनी फसलों में पत्ती काटने वाले कीड़ों का प्रकोप होने पर क्यूनोल्फोस 2 मिली या मोनोक्रोटोफोस 1.5 मिली प्रति लीटर की दर से पानी में मिलाकर छिड़काव करें।
- वर्तमान और आने वाले दिनों की मौसम की परिस्थितियों के कारण ग्वार की फसल में जीवाणु झुलसा रोग होने की संभावना है। किसानों को सलाह है कि रोग के लक्षण दिखाई देते ही 2.5 ग्राम स्ट्रेप्टो साइक्लिन के साथ 30 ग्राम कॉपर ऑक्सीक्लोराइड को 10 लीटर पानी में मिलाकर फसल पर छिड़काव करें और आवश्यकता हो तो 15 दिन बाद दोहरावें।
- बरसीम की पहली कटाई से अधिक चारा उत्पादन लेने के लिए बरसीम के बीज के साथ चाइनीज सरसों या चारे वाली जई की क्रिस्मों को मिलाकर बुवाई करें।
- पशुओं को अन्तः परजीवी नाशक दवा पशु चिकित्सक की सलाह अनुसार नियमित रूप से दें।

## Jaisalmer

आने वाले दिनों में रात के तापमान के कमी होने, अधिक आपेक्षिक आर्द्रता के साथ वायु की औसत गति मध्यम रहने आसमान में आंशिक बादल छाये रहने और हल्की वर्षा होने की संभावना है।

मौसम विज्ञान विभाग से प्राप्त सूचना के अनुसार आने वाले 5 दिनों में राज्य में भारी बारिश होने की संभावना है। अतः निम्न सावधानी रखे।

- संभव हो तो कटाई के लिए तैयार अगेती मूंग, मोठ आदि फसलों की कटाई करके उपज को सुरक्षित स्थान पर रखें या उनको बरसात से बचाने की व्यवस्था करें ताकि उनकी गुणवत्ता बनाये रखी जा सके।
- यदि बारिश ज्यादा होती है अतः फसल क्षेत्र से उचित जल निकास की व्यवस्था भी करें।
- किसी भी प्रकार के कृषि रसायन (पीडकनाशी या पोषक तत्व) का छिड़काव नहीं करें। ऐसे छिड़काव के लिए मौसम खुलने का इंतजार करें।
- मूँगफली में कुछ समय के लिए सिंचाई स्थगित रखें ताकि भविष्य के लिए पानी की बचत हो सके।
- खेत के चारों, सिंचाई नालियों के साथ और मेड़ों पर उपस्थित खरपतवारों को भी हटाएँ। ये खरपतवार खेत की मिट्टी से पौषक तत्व एवं पानी सोखने के साथ साथ फसलों पर लगाने वाले कीट एवं रोगों के वाहक का कार्य भी करते हैं।
- दलहनी फसलों में पत्ती काटने वाले कीड़ों का प्रकोप होने पर क्यूनोल्फोस 2 मिली या मोनोक्रोटोफोस 1.5 मिली प्रति लीटर की दर से पानी में मिलाकर छिड़काव करें।
- वर्तमान और आने वाले दिनों की मौसम की परिस्थितियों के कारण ग्वार की फसल में जीवाणु झुलसा रोग होने की संभावना है। किसानों को सलाह है कि रोग के लक्षण दिखाई देते ही 2.5 ग्राम स्ट्रेप्टो साइक्लिन के साथ 30 ग्राम कॉपर ऑक्सीक्लोराइड को 10 लीटर पानी में मिलाकर फसल पर छिड़काव करें और आवश्यकता हो तो 15 दिन बाद दोहरावें।
- बरसीम की पहली कटाई से अधिक चारा उत्पादन लेने के लिए बरसीम के बीज के साथ चाइनीज सरसों या चारे वाली जई

	<p>की क्रिस्मों को मिलाकर बुवाई करें।</p> <ul style="list-style-type: none"> <li>पशुओं को अन्तः परजीवी नाशक दवा पशु चिकित्सक की सलाह अनुसार नियमित रूप से दें।</li> </ul>		
<b>CHURU</b>	फसल	अवस्था	सलाह
			<p>शनिवार से सोमवार तक वर्षा होने की सम्भावना को देखते हुए। पकी हुई फसलों की जल्द से जल्द कटाई करें और उन्हें सुरक्षित स्थान पर रखें।</p> <p>वर्षा अधिक होने की स्थिति में सब्जि वाली फसलों में उचित जल निकास की व्यवस्था करें।</p> <p>फसलों पर किसी भी प्रकार के कीटनाशी व फफूंदनाशी का छिड़काव नहीं करें।</p>
	शीतकालीन बैंगन	नर्सरी	<p>बैंगन की सर्दी की फसल के लिए नर्सरी तैयार करें। आजाद बी-1, बी.आर-112, पूसा भैरव, पूसा अनुपम, पूसा हाइब्रिड-5, पंजाब बहार उन्नत किस्मों की बुवाई करें। बुवाई से पूर्व 2 ग्राम केप्टान से प्रति किलो बीज की दर से उपचारित करें।</p>
	अरण्डी		<p>अरण्डी की फसल में तना छेदक कीट के नियंत्रण के लिए क्यूनालफॉस 25 ई.सी. 1 लीटर का प्रति हैक्टेयर की दर से छिड़काव करें।</p>
	पशु		<p>वर्षा की सम्भावना को ध्यान में रखते हुए पशुओं को सीधी बारिश से बचाएं तथा पशुओं को पेड़ के नीचे ना बांधें।</p>

## **ZONE: INTEGRATED DRAINAGE DRY AREA (PARTS OF CHURU, NAGOUR, SIKAR, JHUNJHUNU)**



<b>CHURU</b>	फसल	अवस्था	सलाह
			<p>शनिवार से सोमवार तक वर्षा होने की सम्भावना को देखते हुए। पकी हुई फसलों की जल्द से जल्द कटाई करें और उन्हें सुरक्षित स्थान पर रखें।</p> <p>वर्षा अधिक होने की स्थिति में सब्जि वाली फसलों में उचित जल निकास की व्यवस्था करें।</p> <p>फसलों पर किसी भी प्रकार के कीटनाशी व फफूंदनाशी का छिड़काव नहीं करें।</p>
	शीतकालीन	नर्सरी	<p>बैंगन की सर्दी की फसल के लिए नर्सरी तैयार करें। आजाद बी-1, बी.आर-112, पूसा भैरव, पूसा अनुपम,</p>

	बैंगन		पूसा हाइब्रिड-5, पंजाब बहार उन्नत किस्मों की बुवाई करें। बुवाई से पूर्व 2 ग्राम केप्टान से प्रति किलो बीज की दर से उपचारित करें।
	अरण्डी		अरण्डी की फसल में तना छेदक कीट के नियंत्रण के लिए क्यूनालफॉस 25 ई.सी. 1 लीटर का प्रति हैक्टेयर की दर से छिड़काव करें।
	पशु		वर्षा की सम्भावना को ध्यान में रखते हुए पशुओं को सीधी बारिश से बचाएं तथा पशुओं को पेड़ के नीचे ना बांधें।

<b>SIKAR</b>	<b>ADVISORY NOT RECEIVED FROM AMFU</b>		
<b>JHUNJHUNU</b>	<b>ADVISORY NOT RECEIVED FROM AMFU</b>		
<b>NAGAUR</b>	<b>ADVISORY NOT RECEIVED FROM AMFU</b>		

## **Transitional Plain of Luni basin** (JALORE, PALI, JODHPUR, PART OF SIROHI)




<b>JALORE</b>	फसल	अवस्था	सलाह
	शीतका लीन बैंगन	नर्सरी	बैंगन की सर्दी की फसल के लिए नर्सरी तैयार करें। आजाद बी-1, बी.आर-112, पूसा भैरव, पूसा अनुपम, पूसा हाइब्रिड-5, पंजाब बहार उन्नत किस्मों की बुवाई करें। बुवाई से पूर्व 2 ग्राम केप्टान से प्रति किलो बीज की दर से उपचारित करें।
	अरण्डी		अरण्डी की फसल में तना छेदक कीट के नियंत्रण के लिए क्यूनालफॉस 25 ई.सी. 1 लीटर का प्रति हैक्टेयर की दर से छिड़काव करें।
	पशु		वर्षा की सम्भावना को ध्यान में रखते हुए पशुओं को सीधी बारिश से बचाएं तथा पशुओं को पेड़ के नीचे ना बांधें।

<b>PALI</b>	<b>फसल</b>	<b>अवस्था</b>	<b>सलाह</b>
			<p>शनिवार से सोमवार तक वर्षा होने की सम्भावना को देखते हुए। पकी हुई फसलों की जल्द से जल्द कटाई करें और उन्हें सुरक्षित स्थान पर रखें।</p> <p>वर्षा अधिक होने की स्थिति में सब्जि वाली फसलों में उचित जल निकास की व्यवस्था करें।</p> <p>फसलों पर किसी भी प्रकार के कीटनाशी व फफूंदनाशी का छिड़काव नहीं करें।</p>
	शीतका लीन बैंगन	नर्सरी	बैंगन की सर्दी की फसल के लिए नर्सरी तैयार करें। आजाद बी-1, बी.आर-112, पूसा भैरव, पूसा अनुपम, पूसा हाइब्रिड-5, पंजाब बहार उन्नत किस्मों की बुवाई करें। बुवाई से पूर्व 2 ग्राम केप्टान से प्रति किलो बीज की दर से उपचारित करें।
	अरण्डी		अरण्डी की फसल में तना छेदक कीट के नियंत्रण के लिए क्यूनालफॉस 25 ई.सी. 1 लीटर का प्रति हैक्टेयर की दर से छिड़काव करें।
	पशु		वर्षा की सम्भावना को ध्यान में रखते हुए पशुओं को सीधी बारिश से बचाएं तथा पशुओं को पेड़ के नीचे ना बांधें।
<b>JODHPUR</b>	<b>फसल</b>	<b>अवस्था</b>	<b>सलाह</b>
			<p>शनिवार से सोमवार तक वर्षा होने की सम्भावना को देखते हुए। पकी हुई फसलों की जल्द से जल्द कटाई करें और उन्हें सुरक्षित स्थान पर रखें।</p> <p>वर्षा अधिक होने की स्थिति में सब्जि वाली फसलों में उचित जल निकास की व्यवस्था करें।</p> <p>फसलों पर किसी भी प्रकार के कीटनाशी व फफूंदनाशी का छिड़काव नहीं करें।</p>
	शीतका लीन बैंगन	नर्सरी	बैंगन की सर्दी की फसल के लिए नर्सरी तैयार करें। आजाद बी-1, बी.आर-112, पूसा भैरव, पूसा अनुपम, पूसा हाइब्रिड-5, पंजाब बहार उन्नत किस्मों की बुवाई करें। बुवाई से पूर्व 2 ग्राम केप्टान से प्रति किलो बीज की दर से उपचारित करें।
	अरण्डी		अरण्डी की फसल में तना छेदक कीट के नियंत्रण के लिए क्यूनालफॉस 25 ई.सी. 1 लीटर का प्रति हैक्टेयर की दर से छिड़काव करें।
	पशु		वर्षा की सम्भावना को ध्यान में रखते हुए पशुओं को सीधी बारिश से बचाएं तथा पशुओं को पेड़ के नीचे ना बांधें।
<b>SIROHI</b>	<b>ADVISORY NOT RECEIVED FROM AMFU</b>		



## ***Semi Arid Eastern Plains***


**(JAIPUR, AJMER, DAUSA, TONK)**



<b>AJMER</b>	<b>ADVISORY NOT RECEIVED FROM AMFU</b>
<b>JAIPUR</b>	<b>ADVISORY NOT RECEIVED FROM AMFU</b>
<b>DAUSA</b>	<b>ADVISORY NOT RECEIVED FROM AMFU</b>
<b>TONK</b>	<b>ADVISORY NOT RECEIVED FROM AMFU</b>

## ***Flood Prone Eastern Plain***

**(ALWAR, DHOLPUR, BHARATPUR, KARALI, SAWAI MADHOPUR)**




<b>ALWAR</b>	<table border="1" style="width: 100%;"> <tr> <td colspan="2">मौसम पूर्वानुमान: भारत मौसम विज्ञान विभाग द्वारा संयुक्त रूप से जारी सूचना के अनुसार अगले सप्ताह आसमान में बादल छाये रहने के साथ भारी वर्षा होने की संभावना है।</td> </tr> <tr> <td style="width: 20%;">भारी वर्षा (सावधानियाँ)</td> <td>संभव हो तो परिपक्व बाजरा मूँग, मोठ इत्यादि की फसल को काट लें तथा कटी फसल को ढके एवं सुरक्षित स्थान पर रखें। खरीफ फसलों में समुचित जलनिकास का प्रबन्ध करें।</td> </tr> </table>	मौसम पूर्वानुमान: भारत मौसम विज्ञान विभाग द्वारा संयुक्त रूप से जारी सूचना के अनुसार अगले सप्ताह आसमान में बादल छाये रहने के साथ भारी वर्षा होने की संभावना है।		भारी वर्षा (सावधानियाँ)	संभव हो तो परिपक्व बाजरा मूँग, मोठ इत्यादि की फसल को काट लें तथा कटी फसल को ढके एवं सुरक्षित स्थान पर रखें। खरीफ फसलों में समुचित जलनिकास का प्रबन्ध करें।
मौसम पूर्वानुमान: भारत मौसम विज्ञान विभाग द्वारा संयुक्त रूप से जारी सूचना के अनुसार अगले सप्ताह आसमान में बादल छाये रहने के साथ भारी वर्षा होने की संभावना है।					
भारी वर्षा (सावधानियाँ)	संभव हो तो परिपक्व बाजरा मूँग, मोठ इत्यादि की फसल को काट लें तथा कटी फसल को ढके एवं सुरक्षित स्थान पर रखें। खरीफ फसलों में समुचित जलनिकास का प्रबन्ध करें।				

			<p>पादप रसायनों का प्रयोग नहीं करें। प्रयोग आसमान साफ होने पर ही करें।</p> <p>अगले सप्ताह किसी भी फसल में सिंचाई नहीं करें।</p> <p>पशुओं को सुरक्षित स्थान पर रखें।</p>
		<b>अगेती सरसों</b>	<p>सरसों की बुवाई हेतु बीज आदि की तैयारी कर लें। बुवाई हेतु सरसों की उन्नत प्रजातियाँ लें।</p> <p>भूमिगत कीटों बचाव हेतु क्यूनालफॉस 1.5 प्रतिषत धूल 25 कि.ग्रा. प्रति हैक्टर की दर से आखिरी जुताई के समय खेत में मिलायें एवं पाटा लगावें।</p> <p>88 किलो डी ए पी + 145 किलो यूरिया + 50 किलो म्यूरेट ऑफ पोटाश + 250 किलो जिप्सम अथवा 180 किलो यूरिया + 250 किलो सुपर फास्फेट + 50 किलो म्यूरेट ऑफ पोटाश प्रति हैक्टेयर की दर से आखिरी जुताई से पूर्व दे दें। जिंक एवं बोरॉन की कमी वाली मृदा में 25 किलो जिंक सल्फेट एवं 10 किलो बोरेक्स प्रति हैक्टेयर की दर दे दें। सरसों के लिए बुवाई के समय यूरिया की आधी मात्रा तथा सभी उर्वरकों की पूरी मात्रा डालनी चाहिए। शेष यूरिया को प्रथम सिंचाई के समय डालना चाहिए।</p> <p>बुवाई से पूर्व बीज को 2 ग्राम कार्बेन्डाजिम (बाविस्टिन) प्रति किलो बीज की दर से उपचारित अवष्य करें।</p> <p>सफेद रोली से बचाव के लिए 6 ग्राम एप्रोन(एस डी 35) प्रति किलो बीज की दर से उपचारित करे।</p> <p>2.5–3.5 किलो प्रति हैक्टेयर बीज बुवाई के काम मे लेवें।</p>
		<b>गाजर</b>	<p>गाजर (किस्म-पूसा केसर) की बुवाई के लिये यह उचित समय है। बुवाई हेतु 5–6 किलो बीज/हेक्टेयर प्रयोग में लें। बीज उगने तक भूमि में नमी बनाये रखें। कतार से कतार की दूरी 30 सेमी. तथा पौधे से पौधे की दूरी 8–10 सेमी. रखें। बुवाई से पहले 60 किलो नत्रजन, 40 किलो फास्फोरस व 120 किलो पोटाश प्रति हैक्टेयर की दर से दें।</p>
<b>BHARATPUR</b>			<p><b>मौसम पूर्वानुमान:</b> भारत मौसम विज्ञान विभाग द्वारा संयुक्त रूप से जारी सूचना के अनुसार अगले सप्ताह आसमान में बादल छाये रहने के साथ भारी वर्षा होने की संभावना है।</p>
		<b>भारी वर्षा (सावधानियाँ)</b>	<p>संभव हो तो परिपक्व बाजरा मूँग, मोठ इत्यादि की फसल को काट लें तथा कटी फसल को ढके एवं सुरक्षित स्थान पर रखें।</p> <p>खरीफ फसलों में समुचित जलनिकास का प्रबन्ध करें।</p> <p>पादप रसायनों का प्रयोग नहीं करें। प्रयोग आसमान साफ होने पर ही करें।</p> <p>अगले सप्ताह किसी भी फसल में सिंचाई नहीं करें।</p> <p>पशुओं को सुरक्षित स्थान पर रखें।</p>
		<b>अगेती सरसों</b>	<p>सरसों की बुवाई हेतु बीज आदि की तैयारी कर लें। बुवाई हेतु सरसों की उन्नत प्रजातियाँ लें।</p> <p>भूमिगत कीटों बचाव हेतु क्यूनालफॉस 1.5 प्रतिषत धूल 25 कि.ग्रा. प्रति हैक्टर की दर से आखिरी जुताई के समय खेत में मिलायें एवं पाटा लगावें।</p> <p>88 किलो डी ए पी + 145 किलो यूरिया + 50 किलो म्यूरेट ऑफ पोटाश + 250 किलो जिप्सम अथवा 180 किलो यूरिया + 250 किलो सुपर फास्फेट + 50 किलो म्यूरेट ऑफ पोटाश प्रति हैक्टेयर की दर से आखिरी जुताई से पूर्व दे दें। जिंक एवं बोरॉन की कमी वाली मृदा में 25 किलो जिंक सल्फेट एवं 10 किलो बोरेक्स प्रति हैक्टेयर की दर दे दें। सरसों के लिए बुवाई के समय यूरिया की आधी मात्रा तथा सभी उर्वरकों की पूरी मात्रा डालनी चाहिए। शेष यूरिया को प्रथम सिंचाई के समय डालना चाहिए।</p> <p>बुवाई से पूर्व बीज को 2 ग्राम कार्बेन्डाजिम (बाविस्टिन) प्रति किलो बीज की दर से उपचारित अवष्य करें।</p> <p>सफेद रोली से बचाव के लिए 6 ग्राम एप्रोन(एस डी 35) प्रति किलो बीज की दर से उपचारित करे।</p> <p>2.5–3.5 किलो प्रति हैक्टेयर बीज बुवाई के काम मे लेवें।</p>
		<b>गाजर</b>	<p>गाजर (किस्म-पूसा केसर) की बुवाई के लिये यह उचित समय है। बुवाई हेतु 5–6 किलो बीज/हेक्टेयर प्रयोग में लें। बीज उगने तक भूमि में नमी बनाये रखें। कतार से कतार की दूरी 30 सेमी. तथा पौधे से पौधे की दूरी 8–10 सेमी. रखें। बुवाई से पहले 60 किलो नत्रजन, 40 किलो फास्फोरस व 120 किलो पोटाश प्रति हैक्टेयर की दर से दें।</p>
<b>DHOLPUR</b>			<p><b>मौसम पूर्वानुमान:</b> भारत मौसम विज्ञान विभाग द्वारा संयुक्त रूप से जारी सूचना के अनुसार अगले सप्ताह आसमान में बादल छाये रहने के साथ भारी वर्षा होने की संभावना है।</p>
		<b>भारी वर्षा (सावधानियाँ)</b>	<p>संभव हो तो परिपक्व बाजरा मूँग, मोठ इत्यादि की फसल को काट लें तथा कटी फसल को ढके एवं सुरक्षित स्थान पर रखें।</p> <p>खरीफ फसलों में समुचित जलनिकास का प्रबन्ध करें।</p> <p>पादप रसायनों का प्रयोग नहीं करें। प्रयोग आसमान साफ होने पर ही करें।</p> <p>अगले सप्ताह किसी भी फसल में सिंचाई नहीं करें।</p>



		<p>जिप्सम अथवा 180 किलो यूरिया + 250 किलो सुपर फास्फेट + 50 किलो म्यूरेंट ऑफ पोटाश प्रति हैक्टेयर की दर से आखिरी जुताई से पूर्व दे दें। जिंक एवं बोरॉन की कमी वाली मृदा में 25 किलो जिंक सल्फेट एवं 10 किलो बोरेक्स प्रति हैक्टेयर की दर दे दें। सरसों के लिए बुवाई के समय यूरिया की आधी मात्रा तथा सभी उर्वरकों की पूरी मात्रा डालनी चाहिए। शेष यूरिया को प्रथम सिंचाई के समय डालना चाहिए।</p> <p>बुवाई से पूर्व बीज को 2 ग्राम कार्बेन्डाजिम (बाविस्टिन) प्रति किलो बीज की दर से उपचारित अवष्य करें।</p> <p>सफेद रोली से बचाव के लिए 6 ग्राम एप्रोन(एस डी 35) प्रति किलो बीज की दर से उपचारित करे।</p> <p>2.5–3.5 किलो प्रति हैक्टेयर बीज बुवाई के काम मे लेवें।</p>
	<b>गाजर</b>	<p>गाजर (किस्म-पूसा केसर) की बुवाई के लिये यह उचित समय है। बुवाई हेतु 5–6 किलो बीज/हेक्टेयर प्रयोग में लें। बीज उगने तक भूमि में नमी बनाये रखें। कतार से कतार की दूरी 30 सेमी. तथा पौधे से पौधे की दूरी 8–10 सेमी. रखे। बुवाई से पहले 60 किलो नत्रजन, 40 किलो फास्फोरस व 120 किलो पोटाश प्रति हैक्टेयर की दर से दें।</p>

## ***Sub-Humid Southern Plains*** **(BHILWARA, SIROHI, UDAIPUR, CHITTORGARH)**



<b><i>BHILWARA</i></b>	<b><i>ADVISORY NOT RECEIVED FROM AMFU</i></b>
<b><i>SIROHI</i></b>	<b><i>ADVISORY NOT RECEIVED FROM AMFU</i></b>
<b><i>UDAIPUR</i></b>	<b><i>ADVISORY NOT RECEIVED FROM AMFU</i></b>
<b><i>CHITTORGARH</i></b>	<b><i>ADVISORY NOT RECEIVED FROM AMFU</i></b>

# ***Humid Southern Plains***


**(DUNGERPUR, UDAIPUR, BANSWARA, CHITTORGARH)**



<b><i>UDAIPUR</i></b>	<b><i>ADVISORY NOT RECEIVED FROM AMFU</i></b>
<b><i>BANSWARA</i></b>	<b><i>ADVISORY NOT RECEIVED FROM AMFU</i></b>
<b><i>PRATAPGARH</i></b>	<b><i>ADVISORY NOT RECEIVED FROM AMFU</i></b>
<b><i>DUNGARPUR</i></b>	<b><i>ADVISORY NOT RECEIVED FROM AMFU</i></b>
<b><i>CHITTORGARH</i></b>	<b><i>ADVISORY NOT RECEIVED FROM AMFU</i></b>

# ***Humid South Eastern Plain***

**(KOTA, JHALAWAR, BUNDI, BARAN)**



<p><i><b>KOTA/ JHALAWAR/ BUNDI/ BARAN</b></i></p>	<p><i><b>ADVISORY NOT RECEIVED FROM AMFU</b></i></p>
---	--